

010-7300  
Rotating Window Handle  
- Single and Two Position



**TriMark®**



This new, easy to operate stylish window handle is designed to fit comfortably in the hand for top and side hinged windows for on- and off-highway vehicles. It features either a single or double position secure latching with a reverse mounted base and an optional glass clamp for a clean and easy installation.

**DESIGNED FOR:**

- Hinged Rear Windows



**Global Locations:**

**TriMark Corporation**  
500 Bailey Avenue  
P.O. Box 350  
New Hampton, Iowa 50659  
United States  
Tel: 641-394-3188  
Fax: 641-394-2392  
1-800-447-0343  
[www.trimarkcorp.com](http://www.trimarkcorp.com)

**TriMark Europe**  
Unit 3 Sence Court  
Bardon Hill  
Coalville  
Leicestershire LE67 1GZ  
United Kingdom  
Tel: +44(0)1530 512460  
Fax: +44(0)1530 512461  
[www.trimarkeu.com](http://www.trimarkeu.com)

**TriMark (Xuzhou)**  
Building A5 Jingwu Road  
Xuzhou Economic  
Development Zone  
Xuzhou, Jiangsu  
221004 PR China  
Tel: +86 516 8773 0018  
Fax: +86 516 8773 0058  
[www.trimarkcn.com](http://www.trimarkcn.com)



TriMark. Interactive. Product. Selector



### FEATURES/BENEFITS:

- Designed to be used on hinged glass windows
- Ergonomic function and style
- Two configurations:
  - ◊ Single position latching: 48.7mm (1.92")
  - ◊ Two position latching: 46mm (1.81") and 99mm (3.90")
- 90° counter clockwise rotation to latch
- Two bolt mounting 50mm (1.97") pattern
- Detent feature in both latched and unlatched positions for secure positioning

### AVAILABLE:

- With and without clamp and die cut gasket for glass mounting
- Optional keep

### MATERIAL/FINISH:

- Black glass reinforced nylon handle and base
- Brass Threaded inserts

### INSTALLATION:

- Installed with (2) M8 x 1.25 bolts and optional glass clamp for glass mounting (not included)
- Recommended mounting fastener torque to be 6.7-7.9 N-m (59-70 lbf-in)

Individual part dimensions are for reference only. Refer to individual part drawings for complete dimensions, specifications, and installation procedures. Engineering assistance and application drawings are available.

For more information visit  
[www.trimarkcorp.com](http://www.trimarkcorp.com)

